




## 碱性溶剂在NanoChrom BP-CarboWax 20M上的分离与检测



Column: NanoChrom BP-CarboWax 20M  
 Dimension: 30m×0.32mm×0.25μm  
 Carrier: Nitrogen, constant flow 1.0 mL/min  
 Inlet: Split, 250 °C, split ratio: 100: 1  
 Oven: 120 °C (hold 5 min) to 180 °C (hold 10 min) at 10 °C/min  
 Inject: 0.2 μL  
 Detector: FID 220 °C

Peak	Compound	Retention time (min)
1	三乙胺	2.683
2	吡啶	3.589
3	DMF	4.617
4	DMSO	7.523
5	DMP	9.139
6	苯酚	14.127